### DYKEMAGOSSETTPLLC

FRANKLIN SQUARE, THIRD FLOOR WEST 1300 I STREET N.W. WASHINGTON, DC 20005 WWW.DYKEMA.COM

DATE:

April 12, 2004

JOHN DE LUCA

SENDER'S NAME:

SENDER'S E-MAIL:

SENDER'S PHONE:

NAME

TO: LINCOLN DONOVAN

# RECEIVED CENTRAL FAX CENTER

OFFICIAL

TOTAL PAGES INCLUDING COVER:

LOCATION:

Washington, D. C.

SENDER'S FAX:

**FAX NUMBER** 

CONFIRM NUMBER

703 872 9306

#### ADDITIONAL INFORMATION:

SEE THE ATTACHED AMENDMENT.

RESPECTFULLY SUBMITTED, JOHN DE LUCA 25505

If you have problems receiving this message, please call: (202) 906-8651

EMPLOYEE NO.

**CLIENT NO. 019956** 

MATTER NO. 0999

This message is intended only for the use of the individual or entity to which it is addressed, and may contain information that is privileged, confidential and exempt from disclosure under applicable laws. If the reader of this message is not the intended recipient, or the employee or agent responsible for prohibited. If you have received this communication in error, please notify us immediately by telephone and return original message to us at the below

CALIFORNIA | ILLINOIS | MICHIGAN | WASHINGTON D.C.

P.02

# RECEIVED CENTRAL FAX CENTER

APR 1 2 2004

# OFFICIAL

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Applic	eation of:	)
M. AOKI	•	)
Serial No:	09/445,827	) Group Art Unit: 2832
Filing Date: August 1, 2000		)  Examiner: DONOVAN, Lincoln D.
	MAGNETIC FIELD GENERATOR FOR MRI	) Via Facsimile: (703) 872-9306 ) Attorney Docket No.: 66409-006-2 )

MAIL STOP AF Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

April 12, 2004

#### **AMENDMENT**

Dear Sir:

In response to the Final Office Action dated February 12, 2004, please amend the above-identified application as follows:

Amendments to the Claims are reflected in the listing of claims which begin on page 2 of this paper.

Remarks begin on page 4 of this paper.